



## CSDI320ZS

### SURPRISE AF Disinfectant Cleaner

#### Features

- **NON-ACID FORMULATION:** Safe to use in restrooms, shower rooms, nursing homes, hospitals, schools, athletic/recreational facilities -- anywhere caution is a concern
- **FRESH CITRUS SCENT:** Deodorizes as it disinfects and cleans. Lets you know that it is working.
- **DISINFECTANT DETERGENT:** Cleans inanimate, hard surfaces: walls, sinks, sink basins, faucets, tubs, tables, floors, toilets, urinals, shower stalls, light switches, hampers, glazed tiles, chrome, stainless steel, cabinets and all non-porous inanimate surfaces.
- **EASY, READY-TO-USE:** Use where odors are a problem. Spray on -- Mop on -- Allow to work. No rinsing.
- **GERMICIDAL:** Kills 99.9% of germs, bacteria. Meets OSHA Bloodborne Pathogen Standard for HIV, HBV & HCV. Effective against Staphylococcus aureus, Methicillin-resistant Staphylococcus aureus (MRSA), Salmonella choleraesuis and Pseudomonas aeruginosa. Fungicidal against Pathogenic fungi T. mentagrophytes

#### Technical Specifications

**Active Ingredients:** Alkyl (50%C14, 40%C12, 10% C16)  
 Dimethyl benzyl ammonium chloride 0.034%  
 Octyl decyl dimethyl ammonium chloride 0.026%  
 Didecyl dimethyl ammonium chloride 0.013%  
 Dioctyl dimethyl ammonium chloride 0.013%  
 Other ingredients: 99.914%

**Color:** Blue liquid  
**Fragrance:** Fresh Citrus  
**pH:** 11.7  
**Hard Water Tolerance:** Excellent  
**Acid:** None  
**Authorization:** EPA registered  
**Weight:** 32 Oz  
**Packaging:** 12 quarts per case, 55 cases per pallet, 26 pallets per truck  
**Country of origin:** USA

#### Applications

Cleaning and disinfecting in Nursing Homes, Hospitals, Institutions, Offices, Schools, Motels and Hotels.  
 Formulated to disinfect inanimate hard surfaces such as walls, door knobs, sink tops, light switches, tables, shower stalls, chairs, hampers, telephones, cabinets.

#### Usage Instructions

This product is not for use on critical or semi-critical medical device surfaces.

**DISINFECTION, DEODORIZING AND CLEANING-**Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from the surface to be treated. Spray area until it is covered with the solution. Allow product to penetrate and the surface remain wet for 3 minutes (for Bloodborne Pathogens: allow surface to remain wet for HIV-1 **2 minutes**, for HBV and HCV **5 minutes**. No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. **To disinfect food processing premises:** floors, walls and storage areas, hold container 6 - 8 inches from surface to be treated and spray area until it is covered with the solution. Allow product to penetrate and remain wet for **10 minutes**. Wipe off with a clean cloth, mop or sponge and thoroughly rinse all surfaces in the area with potable water. **To disinfect food service establishment food contact surfaces:** counter tops, appliances, tables, hold container 6-8 inches from the surface to be treated and spray area until it is covered with the solution. Allow product to penetrate and remain wet for **10 minutes**. Wipe off with a clean cloth, mop or sponge and thoroughly rinse all surfaces in the area with potable water. Heavily soiled areas must be pre-cleaned before using this product. Do not use on eating utensils, glassware and cookware. Using approved AOAC test methods under Good Laboratory Practices, in the presence of 5% blood serum and a **3 minute** contact time, unless otherwise noted, this product kills the following organisms on hard nonporous inanimate surfaces: **BACTERICIDAL ACTIVITY-** Staphylococcus aureus (ATCC 6538), Salmonella choleraesuis (ATCC 10708), Pseudomonas aeruginosa (ATCC 15442), Escherichia coli (ATCC 11229), Escherichia coli 0157:H7 (ATCC 43895). **ANTIBIOTIC-RESISTANT BACTERICIDAL ACTIVITY:** Methicillin resistant Staphylococcus aureus (MRSA) (ATCC 33593), Vancomycin intermedate resistant Staphylococcus aureus (VISA) (CDC Isolate 99287), Vancomycin resistant Enterococcus faecalis (VRE)(ATCC 51575). **\*VIRUCIDAL ACTIVITY-**This product kills on hard, nonporous inanimate surfaces when allowed to remain wet or a **10 minute** contact time Hepatitis A Virus (HAV), Poliovirus Type 1, Canine Parvovirus.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

**FIRST AID:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor or immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.